


STRAIGHT FLANGED THERMOWELL WITH FULL PENETRANT WELD




TAG Number:

Tolérances	
0.0 =	±1
0.00 =	±0.5
0.000 =	±0.1

 Order Number	

TR2	Ed 0
Drawing number	
TR2 GB STRAIGHT SP	

STRAIGHT FLANGED THERMOWELL WITH THREAD WELD



Cylindrical Instrument Connection

Option with 2 flats faces

Tapered Instrument Connection

TAG Number:

Tolérances


0.0 =	±1
0.00 =	±0.5
0.000 =	±0.1



Order Number

TR2	Ed 0
Drawing number	
TR2 GB STRAIGHT FSS	

STRAIGHT FLANGED THERMOWELL DOUBLE WELD



TAG Number:


Tolérances	
0.0 =	±1
0.00 =	±0.5
0.000 =	±0.1

 Order Number



Ed	0
Drawing number	
TR2 GB STRAIGHT LSD	

STRAIGHT WELD THERMOWELL

Cylindrical Instrument Connection



Option with 2 flats faces



Tapered Instrument Connection



TAG Number:

Tolérances

0.0 = ±1
 0.00 = ±0.5
 0.000 = ±0.1




Order Number

TR2 Ed 0



Drawing number
 TR2 G STRAIGHT WELDED

STRAIGHT THERMOWELL WITH TAPERED THREAD


Cylindrical Instrument Connection



Option with 2 flats faces



Tapered Instrument Connection



TAG Number:

Tolérances

0.0 = ±1
0.00 = ±0.5
0.000 = ±0.1



Order Number

TR2



Drawing number

Ed 0


TR2 G STRAIGHT TAPERED THREAD W

STRAIGHT THREAD THERMOWELL

Cylindrical Instrument Connection



Tapered Instrument Connection



TAG Number:


Tolérances
 0.0 = ±1
 0.00 = ±0.5
 0.000 = ±0.1


 Order Number



TR2 Ed 0
 Drawing number
 TR2 G STRAIGHT THREAD

STRAIGHT TAPERED THREAD THERMOWELL

Cylindrical Instrument Connection



Tapered Instrument Connection



TAG Number:

Tolérances

0.0 = ±1
 0.00 = ±0.5
 0.000 = ±0.1



Order Number

TR2 Ed 0

Drawing number

TR2 G STRAIGHT TAPERED THREAD